



Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

AS

FURTHER MATHEMATICS

Paper 2 Statistics

Friday 16 May 2025

Afternoon

Time allowed: 1 hour 30 minutes

Materials

- You must have the AQA Formulae and statistical tables booklet for A-level Mathematics and A-level Further Mathematics.
- You should have a graphical or scientific calculator that meets the requirements of the specification.
- You must ensure you have the other optional Question Paper/Answer Book for which you are entered (**either** Discrete **or** Mechanics). You will have 1 hour 30 minutes to complete **both** papers.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page or on blank pages.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 40.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
TOTAL	



J U N 2 5 7 3 6 6 2 S 0 1

G/LM/Jun25/G4002/V5

7366/2S

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



Answer **all** questions in the spaces provided.

- 1** The continuous random variable A has probability density function $f(a)$ and variance 16

It is given that $f(a) = 0$ for $a < 0$ and $\int_0^{\infty} a^2 f(a) da = 52$

Find the mean of A

Circle your answer.

[1 mark]

4

6

36

68

- 2** The random variable $X \sim \text{Po}(6.50)$

The random variable $Y \sim \text{Po}(20.54)$

The random variables X and Y are independent.

Find the standard deviation of $X + Y$

Circle your answer.

[1 mark]

3.75

5.20

14.04

27.04

Turn over for the next question

Turn over ►



- 3** The random variable T has a discrete uniform distribution and takes values 1, 2, 3, ..., 17

Find the standard deviation of T

Circle your answer.

[1 mark]

$$\frac{8\sqrt{3}}{3}$$

$$2\sqrt{6}$$

$$21\frac{1}{3}$$

$$24$$



- 4** The discrete random variable X has probability distribution

x	1	2	a
$P(X=x)$	0.2	0.7	0.1

where a is a constant greater than 2

- 4 (a)** Find $P(X \geq 2)$

[1 mark]

- 4 (b)** The continuous random variable Y has probability density function $f(y)$ where

$$f(y) = \begin{cases} \frac{1}{36}y(6-y) & 0 \leq y \leq 6 \\ 0 & \text{otherwise} \end{cases}$$

The random variables X and Y are independent.

The mean of $X + Y$ is equal to 5

Find the value of a

[4 marks]

Turn over ►



- 5** Journey times from a town to the nearest city have a normal distribution with known standard deviation 8.1 minutes.

A random sample of 50 journey times is taken and has mean 54.7 minutes.

- 5 (a)** Construct an 86% confidence interval for the population mean journey time.

Give your values in minutes to two decimal places.

[3 marks]



[4 marks]


This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

- 6** The continuous random variable A represents the score achieved by a player in a particular game.

The probability density function of A is $f(a)$

The probability density function consists of a line segment between $(0, k)$ and $(60, 0)$, and for all other values of a , $f(a) = 0$

The probability density function is shown in the graph.



- 6 (a)** Find the value of k

[1 mark]

[5 marks]

[illegible]

- 7** Kristi set up a website for her new home business. The number of visitors per hour to the website is modelled using a Poisson distribution.

During the first month, the mean number of visitors per hour was 3

- 7 (a)** An interval of one hour is chosen at random.

Find the probability that there were at least two visitors to the website.

Give your answer to three decimal places.

[2 marks]

- 7 (b)** A year later, Kristi claims that the mean number of visitors per hour has changed.

She selects an interval of one hour at random and counts the number of visitors to the website.

She carries out a hypothesis test to investigate her claim, using the 10% level of significance.

- 7 (b) (i)** Describe, in the context of Kristi's test, what is meant by a Type I error.

[1 mark]



Fully justify your answer.

[4 marks]

[illegible]

Explain why the model used in parts (a) and (b) may not be valid.

[1 mark]

Turn over ►



The company collects data during a randomly selected week on the number of years of experience employees have and the average time they take to repair a computer.

		Average time to repair a computer			Total
		Less than 1 day	Between 1 and 3 days	More than 3 days	
Years of experience	Less than 1 year				70
	More than 1 year			30	
	Total	80	60		200

A hypothesis test is carried out to investigate the claim.

All the values of E are greater than 5

[4 marks]

[illegible]

8 (b) A total of x employees have less than 1 year's experience and have an average time to repair a computer of less than 1 day.

8 (b) (i) Find the missing entries in the contingency tables below.

[2 marks]

		Average time to repair a computer			
		Expected (<i>E</i>)	Less than 1 day	Between 1 and 3 days	More than 3 days
Years of experience	Less than 1 year				
	More than 1 year				

		Average time to repair a computer		
	Observed (<i>O</i>)	Less than 1 day	Between 1 and 3 days	More than 3 days
Years of experience	Less than 1 year	<i>x</i>		
	More than 1 year			30

8 (b) (ii) Find the value of x

[4 marks]

Turn over ►



- 8 (c)** The largest value of $\frac{(O - E)^2}{E}$ is for employees who have less than 1 year's experience and have an average time taken to repair a computer of more than 3 days.

The smallest value of $\frac{(O - E)^2}{E}$ is for employees who have more than 1 year's experience and have an average time taken to repair a computer of less than 1 day.

Interpret in context the association between years of experience and average time taken to repair a computer.

[1 mark]

END OF QUESTIONS



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



[illegible]

[illegible]

[illegible]

[illegible]

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2025 AQA and its licensors. All rights reserved.

