


Thursday 22 June 2023 – Afternoon

A Level Further Mathematics A

Y544/01 Discrete Mathematics

Time allowed: 1 hour 30 minutes



You must have:

- the Printed Answer Booklet
- the Formulae Booklet for A Level Further Mathematics A
- a scientific or graphical calculator



INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided in the **Printed Answer Booklet**. If you need extra space use the lined pages at the end of the Printed Answer Booklet. The question numbers must be clearly shown.
- Fill in the boxes on the front of the Printed Answer Booklet.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.
- Give non-exact numerical answers correct to **3** significant figures unless a different degree of accuracy is specified in the question.
- The acceleration due to gravity is denoted by $g \text{ m s}^{-2}$. When a numerical value is needed use $g = 9.8$ unless a different value is specified in the question.
- Do **not** send this Question Paper for marking. Keep it in the centre or recycle it.

INFORMATION

- The total mark for this paper is **75**.
- The marks for each question are shown in brackets [].
- This document has **8** pages.

ADVICE

- Read each question carefully before you start your answer.

- 1 The table below shows the activities involved in a project together with the immediate predecessors and the duration of each activity.


Activity	Immediate predecessors	Duration (hours)
A	–	2
B	A	3
C	–	4
D	C	2
E	B, C	2
F	D, E	3
G	E	2
H	F, G	1

- (a) Model the project using an activity network. [3]
- (b) Determine the minimum project completion time. [2]

The start of activity C is delayed by 2 hours.

- (c) Determine the minimum project completion time with this delay. [2]

- 2 A graph is shown below.



- (a) Write down a cycle through all six vertices. [1]
- (b) Write down a continuous route that uses every arc exactly once. [2]
- (c) Use Kuratowski's theorem to show that the graph is **not** planar. [2]
- (d) Show that the graph has thickness 2. [3]

3 An initial simplex tableau is given below.

P	x	y	z	s	t	RHS
1	-2	3	-1	0	0	0
0	5	-4	1	1	0	20
0	2	-1	0	0	1	6

(a) Carry out **two** iterations of the simplex algorithm, choosing the first pivot from the x column. [4]

After three iterations the resulting tableau is as follows.

P	x	y	z	s	t	RHS
1	3	-1	0	1	0	20
0	5	-4	1	1	0	20
0	2	-1	0	0	1	6

(b) State the values of P , x , y , z , s and t that result from these three iterations. [2]

(c) Explain why no further iterations are possible. [2]

The initial simplex tableau is changed to the following, where k is a positive real value.

P	x	y	z	s	t	RHS
1	2	-3	1	0	0	0
0	5	k	1	1	0	20
0	2	-1	0	0	1	6

After one iteration of the simplex algorithm the value of P is 500.

(d) Deduce the value of k . [4]

- 4 The first 20 consecutive positive integers include the 8 prime numbers 2, 3, 5, 7, 11, 13, 17 and 19.

Emma randomly chooses 5 distinct numbers from the first 20 consecutive positive integers. The order in which Emma chooses the numbers does **not** matter.

- (a) Calculate the number of possibilities in which Emma's 5 numbers include exactly 2 prime numbers and 3 non-prime numbers. [2]
- (b) Calculate the number of possibilities in which Emma's 5 numbers include at least 2 prime numbers. [3]

The pairs $\{3, 13\}$ and $\{7, 17\}$ each consist of numbers with a difference of exactly 10.

- (c) Calculate the number of possibilities in which Emma's 5 numbers include at least one pair of prime numbers in which the difference between them is exactly 10. [3]

A new set of 20 consecutive positive integers, each with at least two digits, is chosen. This set of 20 numbers contains 5 prime numbers.

- (d) Use the pigeonhole principle to show that there is at least one pair of these prime numbers for which the difference between them is exactly 10. [2]

5 A list of 8 values is given below.

3 24 8 1 4 20 30 18

The list is to be sorted into increasing order using quick sort, as given in the Formulae Booklet.

(a) Carry out the first **two** passes of the sort. [4]

A different list of 8 values is to be sorted into increasing order using quick sort, as given in the Formulae Booklet.

(b) (i) State the maximum number of passes that could be required. [1]

(ii) Find the minimum number of passes that could be required. [2]

The run-time for quick sort could be measured by counting the number of comparisons used.

In the worst case, the run time for quick sort is $O(n^2)$.

A computer takes at most 0.03 seconds to sort a list of 100 values into increasing order using quick sort.

(c) Calculate an estimate for the time taken, in the worst case, to sort a list of 500 values using quick sort. [2]

A list of n values (where $n > 10$) is to be sorted into increasing order using quick sort, as given in the Formulae Booklet.

(d) Explain why, in the **best** case, $n - 3$ comparisons are used in the second pass. [3]

6 A graph is shown in **Fig. 1.1**.

The graph is weighted to form the network represented by the weighted matrix in **Fig. 1.2**.

The weights represent distances in km.

A dash (-) means that there is no direct arc between that pair of vertices.

Fig. 1.1




Fig. 1.2

	A	B	C	D	E	F
A	-	5	3	2	8	-
B	5	-	3	4	7	6
C	3	3	-	1	6	5
D	2	4	1	-	-	-
E	8	7	6	-	-	6
F	-	6	5	-	6	-

The shortest path from D to F has total weight 6.

(a) Write down a path from D to F of total weight 6. [1]

The total weight of the 12 arcs in the network is 56.

(b) Use the route inspection algorithm to calculate the total weight of the least weight route that covers every arc at least once, starting at vertex A. [3]

(c) Determine the total weight of the least weight route that covers every arc at least once, starting at vertex B but finishing at any vertex. [2]

Sasha wants to find a continuous route through every vertex, starting and finishing at vertex A, with the least total weight.

(d) (i) Use an appropriate algorithm to find a lower bound for the total weight of Sasha's route. [4]

(ii) Use the Nearest Neighbour Algorithm, starting at vertex A, to find an upper bound for the total weight of Sasha's route. [2]

Sasha decides to use the route A – B – F – E – C – D – A.

(e) Comment on the suitability of this route as a solution to Sasha's problem. [2]

7 Player 1 and player 2 are playing a two-person zero-sum game.

In each round of the game the players each choose a strategy and simultaneously reveal their choice.

The number of points won in each round by player 1 for each combination of strategies is shown in the table below.

Each player is trying to maximise the number of points that they win.

		Player 2		
		A	B	C
Player 1	X	2	-3	-4
	Y	0	1	3
	Z	-2	2	4

- (a) (i) Determine play-safe strategies for each player. [3]
- (ii) Show that the game is **not** stable. [1]
- (b) Show that the number of strategies available to player 1 **cannot** be reduced by dominance. You must make it clear which values are being compared. [2]

Player 1 intends to make a random choice between strategies X, Y, Z, choosing strategy X with probability x , strategy Y with probability y and strategy Z with probability z .

Player 1 formulates the following LP problem so they can find the optimal values of x , y and z using the simplex algorithm.

$$\begin{aligned} &\text{Maximise } M = m - 4 \\ &\text{subject to } m \leq 6x + 4y + 2z \\ &\quad m \leq x + 5y + 6z \\ &\quad m \leq 7y + 8z \\ &\quad x + y + z \leq 1 \\ &\text{and } m \geq 0, x \geq 0, y \geq 0, z \geq 0 \end{aligned}$$

- (c) Explain how the inequality $m \leq 6x + 4y + 2z$ was formed. [2]

The problem is solved by running the simplex algorithm on a computer.

The printout gives a solution in which $x + y = 1$.

This means that the LP problem can be reduced to the following formulation.

$$\begin{aligned} &\text{Maximise } M = m - 4 \\ &\text{subject to } m \leq 4 + 2x \\ &\quad m \leq 5 - 4x \\ &\quad m \leq 7 - 7x \\ &\text{and } m \geq 0, x \geq 0 \end{aligned}$$

- (d) Solve this problem to find the optimal values of x , y and z and the corresponding value of the game to player 1. [4]

END OF QUESTION PAPER

OCR

Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.