Surname	Centre Number	Candidate Number
First name(s)		0



### GCSE

C300UA0-1



### TUESDAY, 3 NOVEMBER 2020 – MORNING

### MATHEMATICS – Component 1 Non-Calculator Mathematics HIGHER TIER

2 hours 15 minutes

#### ADDITIONAL MATERIALS

The use of a calculator is not permitted in this examination. A ruler, protractor and a pair of compasses may be required.

#### INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen.

Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all the questions in the spaces provided.

If you run out of space, use the additional pages at the back of the booklet, taking care to number the question(s) correctly.

#### INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.

The number of marks is given in brackets at the end of each question or part-question.

You are reminded of the need for good English and orderly, clear presentation in your answers.



For Ex	aminer's Us	e Only
Question	Maximum Mark	Mark Awarded
1.	2	
2.	3	
3.	3	
4.	4	
5.	5	
6.	5	
7.	5	
8.	1	
9.	6	
10.	6	
11.	4	
12.	6	
13.	5	
14.	10	
15.	7	
16.	6	
17.	3	
18.	4	
19.	2	
20.	4	
21.	7	
22.	5	
23.	4	
24.	8	
25.	5	
Total	120	

© WJEC CBAC Ltd.

CJ\*(A20-C300UA0-1)

#### Formula list

Examiner only

2

#### Area and volume formulae

Where r is the radius of the sphere or cone, l is the slant height of a cone and h is the perpendicular height of a cone:

Curved surface area of a cone =  $\pi rl$ Surface area of a sphere =  $4\pi r^2$ Volume of a sphere =  $\frac{4}{3}\pi r^3$ Volume of a cone =  $\frac{1}{3}\pi r^2h$ 

#### Kinematics formulae

Where *a* is constant acceleration, *u* is initial velocity, *v* is final velocity, *s* is displacement from the position when t = 0 and *t* is time taken:

v = u + at $s = ut + \frac{1}{2}at^{2}$  $v^{2} = u^{2} + 2as$ 



1. Peter and Paula record the number of cars in each of two airport car parks, A and B, between 8 a.m. and 12 noon one Saturday morning.

This was done to find out if there was a peak time for parking during that period.

The table shows the data they collected.

Time	8a.m.	9a.m.	10 a.m.	11 a.m.	12 noon
Number of cars in car park A	178	179	183	180	179
Number of cars in car park B	176	175	181	177	176

Paula draws this graph to represent the data.



Peter says,

"This graph is not sensible as it does not show the data fairly."

(a) What has been done in the drawing of the graph that has made Peter think this? [1]
 (b) What error might this lead to, for people who do not look carefully at the graph? [1]



Examiner only

	orange : pineapple : water = 3 : 2 : 7.	
(a)	What fraction of the mix is water? [1]	
(b)	Lena pours 300 ml of her fruit drink into a glass. How much pineapple juice is in Lena's glass? [2]	
\A/a al		
Work Give	your answer as a mixed number in its simplest form. [3]	
Work Give	x out $2\frac{3}{4} \div \frac{5}{8}$ . your answer as a mixed number in its simplest form. [3]	
Worł Give	x out $2\frac{3}{4} \div \frac{5}{8}$ . your answer as a mixed number in its simplest form. [3]	
Worł Give	your answer as a mixed number in its simplest form. [3]	
Work	your answer as a mixed number in its simplest form. [3]	
Work	your answer as a mixed number in its simplest form. [3]	
Work	x out $2\frac{3}{4} \div \frac{5}{8}$ . your answer as a mixed number in its simplest form. [3]	
Work	(out $2\frac{3}{4} \div \frac{5}{8}$ . your answer as a mixed number in its simplest form. [3]	
. Worł Give	x out $2\frac{3}{4} \div \frac{5}{8}$ . your answer as a mixed number in its simplest form. [3]	

		5		
4.	(a)	Simplify 18π ÷ 9π.	[1]	xaminer only
	(b)	The diagram shows two circles, one inside the other.		
		Diagram not drawn to scale		
		The radius of the outer circle is 6 cm. The radius of the inner circle is 5 cm.		A01
		Work out the area of the shaded region. Give your answer in terms of $\pi$ .	[3]	C300L 05
	·····			
		Area of shaded region = cm <sup>2</sup>		



6	
Use: Pressure = $\frac{\text{Force (N)}}{\text{Area (cm}^2)}$	Ex
A camera is attached to a tripod. The tripod has 3 legs and stands on horizontal ground. Each leg exerts the same pressure on the ground.	
The tripod has a weight of 34N. The camera has a weight of 20N.	
Each foot of the tripod is a rectangle with length 3 cm and width 2 cm.	
Work out the pressure exerted by the tripod and camera on the ground. You must show all your working.	[5]
Pressure =N/cm <sup>2</sup>	

© WJEC CBAC Ltd.

(a)	Eric currently spends £36 each week playing ten pin bowling.	Exan
	He wants to decrease this amount by $\frac{3}{8}$ .	
	He writes:	
	New amount : Current amount	
	3 : 8	
	I will now spend £13.50 each week playing	
	ten pin bowling	
	(i) Explain why Eric's <b>method</b> is not correct	[1]
	(i) Explain why the smellod is not confect.	[']
	(ii) Describe what Ericle answer of \$12.50 estually represente	
	(II) Describe what Eric's <b>answer</b> of £13.50 actually represents.	[1]
(b)	Three integers $a$ , $b$ and $c$ are in the ratios	
	a: b = 9: 2 and $b: c = 6: 7.$	
	It is known that $a + b + c = 200$ .	
	Find the integers $a, b$ and $c$ .	[3]
•••••		
•••••		
••••••		
	a = b = c =	
	w	



[5]
[5]
[5]
[5]
[5]
[5]
[5]
[5]
••••••
••••••
••••••
S.



Examiner only 9. (a) (i) xy = 1Explain why neither x nor y can be zero. [1] On the axes below, sketch the graph of  $y = \frac{1}{x}$ . (ii) [2] v C300UA01 09 ► X 0 Complete this sentence about the graph you have drawn. (iii) [1] The graph shows 'y is \_\_\_\_\_ proportional to x'. The variables *V* and *p* are connected by the equation  $\frac{V}{p^2} = 5$ . (b) Find the value of V when p = 0.1. [2]



10.	(a)	Solve $10(x-1)-(7x+9)=x$ .	[3]	Examin only
	(b)	Factorise and hence solve $x^2 + 3x - 18 = 0$ .	[3]	

© WJEC CBAC Ltd.

Jan's hobbies are sewing and gardening.	onl
<ul> <li>Each week the probability that she spends:</li> <li>Monday evening sewing (S) is 0·3,</li> <li>time gardening on Friday (G) is 0·6.</li> <li>These events are independent.</li> </ul>	
The tree diagram shows this information.	
0.3 S $0.6$ G $0.4$ Not G	
0.7 Not S 0.6 G	
0·4 Not G	
<ul> <li>(b) Jan does not spend Monday evening sewing but does spend time gardening on Friday</li> </ul>	
<ul> <li>(b) Jan does not spend Monday evening sewing but does spend time gardening on Friday [2]</li> </ul>	· · ·
( <i>b</i> ) Jan does not spend Monday evening sewing but does spend time gardening on Friday [2	
(b) Jan does not spend Monday evening sewing but does spend time gardening on Friday [2	· · · · · · · · · · · · · · · · · · ·
(b) Jan does not spend Monday evening sewing but does spend time gardening on Friday [2	· · · ·
(b) Jan does not spend Monday evening sewing but does spend time gardening on Friday	



2.	(a)	Find the next term of this sequence.	Ex
		$\frac{3}{2}, -\frac{9}{4}, \frac{27}{8}, -\frac{81}{16}, \dots$	[2]
	(b)	The <i>n</i> th term of a sequence is $(2\sqrt{3})^n$ . Find and simplify the 3rd term of this sequence.	[2]
	(C)	Find the <i>n</i> th term of this sequence. 1.5, 3, 5.5, 9, 13.5,	[2]



# **BLANK PAGE**

13

## **PLEASE DO NOT WRITE ON THIS PAGE**







15	-
<i>(b</i> )	Examiner only
C D	
Õ	
Diagram not drawn to scale	
<b>OA</b> = $3a$ and <b>OB</b> = $6b$ . The sides of triangles <i>OAB</i> and <i>OCD</i> are in the ratio 3 : 1.	
By writing <b>AB</b> and <b>CD</b> in terms of $\mathbf{a}$ and $\mathbf{b}$ , decide whether <i>CD</i> is parallel to A	IB.
Parallel Not Parallel	
Show how you decide	[2]
	[ <b>2</b> ]
	C300
15 © WJEC CBAC Ltd. (C300UA0-1)	Turn over.

			2 2	Examine
11	(2)	Simi	plify $\frac{x^2 \times x^7}{x^2}$	[2] only
14.	(a)	Sini	$x^3$ .	[2]
	•••••			
	•••••			
	•••••			
			1	
	(b)	(i)	Find the positive value of $16^{\overline{4}}$ .	[1]
	( )	()		
		•••••		
		•••••		
		••••••		
			$-\frac{4}{2}$	
		(11)	Find the value of 27°.	[2]
	16		© WJEC CBAC Ltd. (C300UA0-1)	

(C)	<b>Estimate</b> the value of $(3.9 \times 10^6)^3$ .	[0]
	Give your answer in standard form.	[3]
	Estimate	
(d)	Write $\frac{42}{\sqrt{6}}$ in the form $a\sqrt{6}$ where <i>a</i> is an integer.	[2]

C300UA01 17







**16.** A tennis club has 240 members. They each played a senior, main or junior event in one of three competitions, *A*, *B* or *C*. Examiner only

Of the c	<ul> <li>club members:</li> <li>110 played</li> <li>30 played</li> <li>25 played</li> <li>no junior p</li> <li>40 of those</li> </ul>	d in <i>A</i> , in a junior even in the senior ev played in <i>C</i> , e who played in	t, ent in <i>B</i> , C were in the	main event.		
The nur played i The rati The pro	mber of member in a junior even o of members v bability that a r	ers who played i t. who played in <i>B</i> nember played	n a senior eve and C was <i>B</i> in the junior ev	nt was 150% m 3 : C = 6 : 7. vent in <i>A</i> was 0	ore than those w	ho
A memi	ber is selected	at random from	the club.			
Use the played i You mu	e table to help in <i>B</i> but not bot st show all you	you to find the h. r working.	probability the	at this member	<sup>.</sup> played in a Mair	n event or [6]
		Senior	Main	Junior	Totals	
	А					
	В					
	С					
	Totals					
		Probabi	lity =			
20	<b>@</b> W.	IEC CBAC Ltd	(C3001140-1)			





	22	
<b>3.</b> (a)	A	Exar or
	Diagram not drawn to scale	
	Points A, B, C, P, Q and R lie on the circumference of the circle, centre O.	
	Show that triangle <i>ABC</i> is congruent to triangle <i>PQR</i> . Give a reason for each step of your answer.	[3]
•••••		
•••••		
•••••		
•••••		
•••••		••••••
•••••		
		]
22 22	2 © WJEC CBAC Ltd. (C300UA0-1)	

Is William correct?	-	
	No	
		[4]
Show how you decide.		[1]

19.	Write 7·341 as a fraction. [2	Examine only



_acn	day, she chooses 3 of her tokens at random and places them in a row on her desk.	
(a)	Find the number of different ways in which this can be done.	[2]
(b)	One of her tokens is pink and another is green.	
	Find the number of analigements where the middle token is plink of green.	[2]



21.	(a)	$f(x) = \sqrt{x-1}$ for $x \ge 1$ .	Examiner only
		Show that $f^{-1}(x) < 1$ has no solutions.	[3]
	•••••		
	•••••		
	•••••		
	•••••		
	·····		·········
	•••••		
	•••••		

(b) 
$$g(x) = 5^{x}$$
  
 $h(x) = x + 3$   
Solve  $gh(x) = \frac{1}{25}$ . [4]











Examiner **25.** (a) Write the expression  $x^2 + 8x + 18$  in the form  $(x + a)^2 + b$ , where a and b are integers. [3] Write down the coordinates of the turning point of the curve  $y = x^2 + 8x$ . (b) [2] Turning point = ( ..... , ...... ) **END OF PAPER** 



only

(C300UA0-1)

© WJEC CBAC Ltd.

Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Examiner only
	······	



© WJEC CBAC Ltd.

(C300UA0-1)

Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Examiner only
		1
		·
		·
		L



© WJEC CBAC Ltd.

# **BLANK PAGE**

35

## PLEASE DO NOT WRITE ON THIS PAGE



# **BLANK PAGE**

36

## PLEASE DO NOT WRITE ON THIS PAGE

